

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg/km	Weight app. kg/km
2 x 0,5	7,0	30,0	90,0
3 G 0,5	7,2	38,0	115,0
4 G 0,5	7,9	48,0	140,0
5 G 0,5	8,3	64,0	168,0
7 G 0,5	9,6	70,0	217,0
12 G 0,5	11,3	100,0	274,0
14 G 0,5	11,9	135,0	332,0
16 G 0,5	12,7	145,0	388,0
18 G 0,5	13,5	154,0	445,0
20 G 0,5	14,0	160,0	497,0
21 G 0,5	14,5	175,0	500,0
25 G 0,5	15,8	240,0	505,0
30 G 0,5	16,3	280,0	515,0
2 x 0,75	7,3	39,0	105,0
3 G 0,75	7,8	49,0	128,0
4 G 0,75	8,3	60,0	148,0
5 G 0,75	9,1	70,0	200,0
7 G 0,75	10,2	95,0	269,0
10 G 0,75	12,3	110,0	327,0
12 G 0,75	12,6	140,0	366,0
14 G 0,75	13,1	163,0	426,0
16 G 0,75	13,9	187,0	487,0
18 G 0,75	14,5	211,0	547,0
20 G 0,75	15,2	216,0	551,0
21 G 0,75	15,9	272,0	590,0

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg/km	Weight app. kg/km
25 G 0,75	17,4	322,0	600,0
30 G 0,75	17,9	414,0	650,0
2 x 1	7,8	50,0	115,0
3 G 1	8,1	60,0	142,0
4 G 1	8,7	73,0	196,0
5 G 1	9,5	81,0	271,0
7 G 1	10,9	114,0	307,0
12 G 1	13,1	186,0	474,0
18 G 1	15,4	254,0	622,0
25 G 1	18,7	365,0	828,0
2 x 1,5	8,3	64,0	170,0
3 G 1,5	8,7	84,0	203,0
4 G 1,5	9,5	99,0	243,0
5 G 1,5	10,2	120,0	288,0
7 G 1,5	12,3	148,0	403,0
12 G 1,5	14,5	274,0	592,0
18 G 1,5	16,9	386,0	844,0
25 G 1,5	20,7	584,0	1155,0
3 G 2,5	10,5	140,0	215,0
4 G 2,5	11,2	159,0	264,0
5 G 2,5	12,6	194,0	344,0
7 G 2,5	14,8	234,0	410,0
12 G 2,5	18,1	390,0	721,0
3 G 4	12,7	178,0	292,0
4 G 4	13,9	222,0	372,0

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg/km	Weight app. kg/km
5 G 4	15,3	328,0	448,0
4 G 6	15,7	305,0	526,0
5 G 6	17,2	441,0	632,0
4 G 10	20,9	485,0	838,0
5 G 10	22,9	610,0	998,0
4 G 16	23,8	840,0	1225,0
5 G 16	26,7	1050,0	1560,0

