

JZ-HF-CY

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.
2 x 0,5	7,2	30,0	90,0	20
3 G 0,5	7,5	38,0	115,0	20
4 G 0,5	8,1	48,0	140,0	20
5 G 0,5	8,6	64,0	168,0	20
7 G 0,5	9,9	70,0	217,0	20
12 G 0,5	11,6	100,0	274,0	20
14 G 0,5	12,2	135,0	332,0	20
16 G 0,5	13,0	145,0	388,0	20
18 G 0,5	13,8	154,0	445,0	20
20 G 0,5	14,3	160,0	497,0	20
21 G 0,5	14,8	175,0	500,0	20
25 G 0,5	16,1	240,0	505,0	20
30 G 0,5	16,6	280,0	515,0	20
34 G 0,5	17,7	290,0	530,0	20
36 G 0,5	17,7	300,0	572,0	20
42 G 0,5	19,2	330,0	605,0	20
50 G 0,5	21,2	393,0	742,0	20
2 x 0,75	7,6	39,0	105,0	19
3 G 0,75	8,1	49,0	128,0	19
4 G 0,75	8,6	60,0	184,0	19
5 G 0,75	9,4	70,0	200,0	19
7 G 0,75	10,5	95,0	269,0	19
10 G 0,75	12,6	110,0	327,0	19
12 G 0,75	12,9	140,0	366,0	19
14 G 0,75	13,4	163,0	426,0	19
16 G 0,75	14,2	187,0	487,0	19
18 G 0,75	14,8	211,0	547,0	19
20 G 0,75	15,5	216,0	551,0	19
21 G 0,75	16,2	272,0	590,0	19
25 G 0,75	17,7	322,0	600,0	19
30 G 0,75	18,2	414,0	650,0	19
34 G 0,75	19,8	473,0	685,0	19

JZ-HF-CY

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.
36 G 0,75	19,8	500,0	720,0	19
42 G 0,75	21,0	583,0	800,0	19
50 G 0,75	23,1	695,0	954,0	19
2 x 1	8,1	50,0	115,0	18
3 G 1	8,4	60,0	142,0	18
4 G 1	9,0	73,0	196,0	18
5 G 1	9,8	81,0	271,0	18
7 G 1	11,2	114,0	307,0	18
12 G 1	13,4	186,0	474,0	18
18 G 1	15,7	254,0	622,0	18
25 G 1	19,0	365,0	828,0	18
34 G 1	21,0	500,0	1049,0	18
41 G 1	22,7	576,0	1257,0	18
50 G 1	24,5	681,0	1437,0	18
65 G 1	27,7	932,0	1823,0	18
2 x 1,5	8,6	64,0	170,0	16
3 G 1,5	9,0	84,0	203,0	16
4 G 1,5	9,8	99,0	243,0	16
5 G 1,5	10,5	120,0	288,0	16
7 G 1,5	12,5	148,0	403,0	16
12 G 1,5	14,8	274,0	592,0	16
18 G 1,5	17,3	386,0	844,0	16
25 G 1,5	21,0	584,0	1155,0	16
41 G 1,5	24,8	867,0	1227,0	16
50 G 1,5	27,3	970,0	1445,0	16
61 G 1,5	29,8	1028,0	1724,0	16
3 G 2,5	10,8	140,0	215,0	14
4 G 2,5	11,5	159,0	264,0	14
5 G 2,5	12,9	194,0	344,0	14
7 G 2,5	15,1	234,0	410,0	14
12 G 2,5	18,4	390,0	721,0	14
3 G 4	13,0	178,0	292,0	12

JZ-HF-CY

No.cores x cross-sec. mm ²	Outer Ø app. mm	Cop. weight kg / km	Weight app. kg / km	AWG-No.
4 G 4	14,2	222,0	372,0	12
5 G 4	15,6	328,0	448,0	12
4 G 6	16,0	305,0	526,0	10
5 G 6	17,5	441,0	632,0	10
4 G 10	21,2	485,0	838,0	8
5 G 10	23,2	610,0	998,0	8
4 G 16	24,1	840,0	1225,0	6
5 G 16	27,0	1050,0	1560,0	6